




# Fujifilm FinePix S8630 Flashbulb Replacement

This guide will explain how to remove and replace the flashbulb

Written By: Colton Lancsarics





## TOOLS:

- [iFixit Opening Tools](#) (1)
  - [JIS Driver Set](#) (1)
  - [Tweezers](#) (1)
  - [Soldering Station](#) (1)
-

## Step 1 — Battery Door



- Remove the M3 x 4mm screws from the bottom of your device as indicated by the picture. using the Philips Head J0 Screw Driver Bit .

## Step 2



- Use your Philips Head Screwdriver to remove the M3 x 4mm screws from the left side of the device as indicated by the pictures.



### Step 3



- Use your Philips Head Screwdriver to remove the M3 x 4mm screws from the right side of the device as indicated by the pictures.

### Step 4



- Use your Philips Head Screwdriver to remove the M3 x 4mm screws from the camera flash lid as indicated by the picture.
- Remove the plastic cover from the flash lid by gentle pulling them apart or using the plastic opening tool.

## Step 5




- Fold the lid down in order to access and remove the final M3 x 4mm screw using your Philips Head Screwdriver.

## Step 6



- Use the plastic opening tool to pry the back and front casings of the camera apart.
- Once pried apart use your hands to pull off the back plate of the camera.
- You will need to apply a little bit of force to remove the back plate.

## Step 7



- Once the back plate is removed twist the battery cover clockwise and it should easily dislodge.


## Step 8 — LCD Screen



- Gently pull the tab out of the motherboard and then the LCD screen should easily be removed.




## Step 9 — Flashbulb



- Unsolder the connections shown in the image that connect the black, pink, and blue wires to the bulb.
- Soldering Guide: [How To Solder and Desolder Connections](#)

## Step 10



- Using the tweezers remove the flashbulb.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-25 01:36:03 AM.